

Notice of Allowability

Application No.

09/670,150

Applicant(s)

KOHNO ET AL.

Examiner

Art Unit

Thomas M. Dougherty

2834

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 03/03/03.
2. ☒ The allowed claim(s) is/are 1-3.
3. ☒ The drawings filed on 03 March 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- (a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No. _____.
- (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
- (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the top margin (not the back) of each sheet. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1 ☒ Notice of References Cited (PTO-892)
- 3 ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 5 ☐ Information Disclosure Statements (PTO-1449), Paper No. _____.
- 7 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 2 ☐ Notice of Informal Patent Application (PTO-152)
- 4 ☐ Interview Summary (PTO-413), Paper No. _____.
- 6 ☐ Examiner's Amendment/Comment
- 8 ☒ Examiner's Statement of Reasons for Allowance
- 9 ☐ Other

Allowable Subject Matter

Claims 1-3 are allowed.

The following is an examiner's statement of reasons for allowance: While claims 1-3 are very similar to claim 1 of U. S. Patent No. 6,483,228, which patent has been granted to the same Assignee. As that patent has a later filing date, to require a terminal disclaimer would extend the grant of patent beyond twenty years from the date of filing. Consequently, the claims are allowed. Excepting that reference, which cannot properly be considered prior art, the structure of a sensor including a plurality of piezoelectric oscillators on a substrate, which are arranged in lateral stacks on the substrate is not shown nor suggested by the art.

Direct inquiry concerning this action to Examiner Dougherty at (703) 308-1628.

tmd
tmd

March 25, 2003

Alamudin. Dougherty
2/6/03